



## RT 8305-21G

<b>Processeur</b>	<ul style="list-style-type: none"> <li>• Intel Pentium 4 à 2 GHZ avec cache L2</li> <li>• bus system 533 MHZ</li> </ul>
<b>Cache</b>	<ul style="list-style-type: none"> <li>• 512KB</li> </ul>
<b>Chipsets</b>	<ul style="list-style-type: none"> <li>• Intel 845G chipset</li> <li>• Memory Controller Hub (MCH)</li> <li>• I/O Controller Hub (ICH4) for PCI 2.2 bus</li> <li>• Integrated 10/100 Mbit LAN controller</li> <li>• SMBUS device support</li> </ul>
<b>Mémoire</b>	<ul style="list-style-type: none"> <li>• 512 Mo 266MHz DDR (Double Data Rate) RAM</li> <li>• 2 DIMM sockets (1 open)</li> <li>• 2 - 184-pin DIMMS</li> <li>• Supports a maximum memory up to 2.0GB</li> </ul>
<b>Disque dur</b>	<ul style="list-style-type: none"> <li>• 40 Go, ATA-100 7200RPM</li> </ul>
<b>CD-ROM</b>	<ul style="list-style-type: none"> <li>• Enhanced IDE/ATAPI interface</li> <li>• Less than 85 ms average access time and 128 KB buffer for look-ahead cache</li> <li>• 12 cm and 8 cm disc compatibility (8 cm horizontal mount only)</li> </ul>
<b>Audio</b>	<ul style="list-style-type: none"> <li>• Integrated digital audio</li> <li>• SoundMAX 3.0 with SPX.</li> <li>• Software-based audio (done by processor and ICH4)</li> <li>• AC '97 interface</li> </ul>
<b>Alimentation</b>	<ul style="list-style-type: none"> <li>• 185 watt supply with variable speed fan</li> <li>• 110 volt or 220 volt operation controlled by a switch on the back of the unit</li> </ul>
<b>Ports externes</b>	<ul style="list-style-type: none"> <li>• Six USB (two in front, four in back) [Ver 2.0]</li> <li>• One ethernet RJ-45</li> <li>• Two serial 9-pin</li> <li>• One parallel (EPP, ECP), IEEE 1284</li> </ul>
<b>Ports internes</b>	<ul style="list-style-type: none"> <li>• Slot 1: 32-bit AGP 4X (1.5v) Slot 2,3,4: 32-bit PCI 2.2 (5v)</li> </ul>

**Produit re-construit à partir de composants neuf et d'occasion**